



City of Akron
 501 Municipal Bldg.
 Purchasing Office
 166 S. High St.
 Akron Oh 44308

**TABULATION SHEET
 SEALED BID
 OPEN 10:00 A.M.**

Number of Bid Packages mailed - 6
 Number of Bids Received - 3
 Opened by: Kathy Smith
 Witnessed by: Bob Williams

DATE: 10/25/16

BID # HFA/17

ITEM	MOSAIC GLOBAL SALES 13830 CIRCA CROSSING DRIVE LITHIA, FL 33547	SHANNON CHEMICAL CORP PO BOX 376 MALVERN, PA 19355	UNIVAR USA 328 BUNOLA RIVER RD BUNOLA, PA 15020
<u>F.O.B. DELIVERED, ON AN AS-NEEDED BASIS, CITY OF AKRON</u> WATER TREATMENT PLANT, 1570 RAVENNA RD., KENT, OHIO 44240			
55,000 GALLONS, MORE OR LESS, ANSI/NSF 60 CERTIFIED, 23% HYDROFLUOROSILICIC ACID SOLUTION, DELIVERED IN BULK TRUCK- LOADS, GUARANTEEING PRICE FOR A 12 MONTH DURATION, BEGINNING 1/1/17 AND TERMINATING 12/31/17	GALLON	\$1.57	\$1.56
MANUFACTURER'S NAME	MOSAIC GLOBAL SALES	PCS/UNIMIN	UNIMIN
MAKE & MODEL NUMBER	HYDROFLUOROSILICIC ACID	SE-1900 L-25	HYDROFLUOROCILIC ACID
SIZE OF DELIVERY TANK TRUCK TO BE UTILIZED	GALLONS 4,500 GALLONS	5,000	4,500
PAYMENT TERMS	NET 30 DAYS	0%, NET 30 DAYS	NET 30 DAYS
YOUR DELIVERY PROMISE	7 DAYS FROM RECEIPT OF ORDER	7 DAYS ARO	3-4 DAYS
ETHICS REGULATION - ARE YOU AWARE OF ANY INTEREST OR POTENTIAL INTEREST IN THIS CONTRACT THAT MAY BE HAD BY AN INDIVIDUAL WHO IS CONNECTED TO THE CITY OF AKRON?	NO	NO	NO
HAVE YOU SUBMITTED AN AFFIDAVIT OF COMPLIANCE?	YES	YES	YES
HAVE YOU SUBMITTED A LIST OF AT LEAST THREE REFERENCES?	YES	YES	YES
HAVE YOU SUBMITTED "MATERIAL SAFETY DATA SHEETS", HAZARDOUS & TOXIC SUBSTANCE SHEETS?	YES	YES	YES
HAVE YOU SUBMITTED DOCUMENTATION STATING THE BIDDER AND HIS SUBCONTRACTORS EXERCISE "DUE DILIGENCE" IN PERFORMING PERSONNEL BACKGROUND CHECKS?	YES	YES	YES
CAN YOU MAINTAIN PLANT INVENTORY AND PROMISE DELIVERY WITHIN SEVEN (7) CALENDAR DAYS?	YES	YES	YES
IF APPLICABLE TO THIS BID: DO YOU UNDERSTAND THAT PREVAILING WAGE REQUIREMENTS MUST BE MET IF THE BID AMOUNT FALLS UNDER PREVAILING WAGE GUIDELINES:			
HAVE YOU COMPLETED THE REQUIRED E.E.O. FORM FOR THIS BID?	YES	YES	YES